FLAVOUR AND FRAGRANCE JOURNAL, VOL. 9, 361–362 (1994)

Author Index

Abraham, B., 265
Achola, K. J., 233, 241
Ahmad, A. R., 339
Ahmad, A. S., 339
Ali, N. A. M., 339
Alvarez, D., 343
Ambruosi, A., 19
Amvam Zollo, P. H., 315
Asakawa, Y., 237

Barroso, J. G., 71, 229
Bartle, K. D., 99
Bartley, J. P., 135
Beauregard, D. A., 347
Belkhiri, A., 1
Berger, R. G., 265
Bessière, J. M., 35, 131, 315
Bignell, C. M., 113, 167, 309
bin Jantan, I., 339
Boland, D. J., 47
Bourgeois, G., 51
Brönner, H., 81
Brophy, J. J., 7, 47, 113, 167, 309
Brunke, E.-J., 59
Buchbauer, G., 55, 217
Büchi, G., 81

Cañigueral, S., 201
Caramiello, R., 11
Cavaleiro, J. A. S., 51
Chagonda, L., 299
Chen, S. S., 187
Chinyanganya, F., 299
Cogliandro, E., 105
Cotrim, H. C., 71
Cotroneo, A., 99, 105

De Feo, V., 77, 305
De Pooter, H. L., 299
Deans, S. G., 125, 245
Delmond, B., 51
Douglas, M. H., 347
Dugo, G., 99
Dugo, P., 105
Dunlop, P. J., 113, 167, 309

Eaglesham, E., 125
El-Kashoury, E. A., 29
Eyele Mvé-Mba, C., 315

Fathy, M. M., 29
Ferrer, A., 343
Figueiredo, A. C., 71, 229
Filliatre, C., 51
Fontinha, S. S., 229
Forster, P. I., 7
Fouraste, I., 35
Full, G., 93

Giovanelli, E., 125
Goldsack, R. J., 7, 47
Gonaid, M. H., 29
Gray, A. I., 245
Grein, B., 93
Grosch, W., 147
Gundidza, M., 245, 299

Hammerschmidt, F.-J., 59
Hassanali, A., 75, 233, 241
Hiltunen, R., 223
Holm, Y., 223

Ibáñez, C., 201
Iglesias, J., 201
Ikeda, N., 325
Inui, M., 325
Ishihara, M., 325

Jackson, J. F., 113, 167, 309
Jirovetz, L. 55, 217
Joseph, H., 131

Kalemba, D., 269
Katzir, I., 85, 139, 205, 275
Kawakita, M., 325
Keita, A., 35
Kennedy, A. I., 245
Komaki, R., 325
Kreis, P., 249, 257
Kusunose, H., 159, 289

Laakso, I., 223
Lamaty, G., 131, 315
Lanças, F. M., 39
Laurent, R., 233, 241
Lockwood, G. B., 1
Looman, A., 229
Lwande, W., 75, 233, 241

Maffei, M., 11, 119
Marotti, M., 125
Marschall, H., 179, 269, 333
Mavi, S., 245, 299
McGimpsey, J. A., 347
Menut, C., 131, 315
Mondello, L., 99, 105
Mosandl, A., 249, 257
Moulis, C., 35
Mucciarelli, M., 119
Mwangi, J. W., 75, 233, 241

Näf, R., 81
Nikiforov, A., 55
Njoroge, S. M., 159, 289

Pais, M. S. S., 71
Pedro, L. G., 229
Peracino, V., 11
Perry, N. B., 347
Piccaglia, R., 125
Pickenhagen,W., 81
Pino, J. A., 343
Provis-Schwede, A., 135
Putievsky, E., 85, 139, 205, 275

Ravid, U., 85, 139, 205, 275
Reverchon, E., 19
Rosado, A., 343
Rustaiyan, A., 333

Sagrero-Nieves, L., 135
Sawamura, M., 159, 289
Scannerini, S., 119
Scheffer, J. J. C., 71, 229
Schmaus, G., 59
Schmidt, G., 93
Schreier, P., 93, 281
Schulz, H., 265
Senatore, F., 19, 77, 305
Siew, S. S., 173, 319
Silvestre, A. J. D., 51
Soliman, F. M., 29
Spiro, M., 187
Splittgerber, U., 179
Stagno d'Alcontres, I., 99, 105
Stahl-Biskup, E., 261
Stengele, M., 261
Suzuki, Y., 325

Tan, G. L., 25
Tchoumbougnang, F., 315
Tie, D. Y., 319
Toyota, M., 237
Tsuneya, T., 325

Ukeda, H., 159, 289

van Klink, J. W., 347
Velluz, A., 81
Verzera, A., 99
Vila, R., 201
Vilegas, J. H. Y., 39
Vilegas, W., 39
Virgili, A., 201

Wahlburg, H.-C., 179
Wasicky, M., 55
Waterman, P. G., 245
Weyerstahl, P., 179, 269, 333
Winterhalter, P., 93, 281
Wong, K. C., 25, 173, 319
Wong, S. W., 319
Wüest, H., 81

Yoshihara, M., 325

FLAVOUR AND FRAGRANCE JOURNAL, VOL. 9, 363–365 (1994)

Key Word Index

Abies mayriana Miy. et Kudo, 223
A. sachalinensis (Fr. Schm.) Mast., 223
4-Acetoxy-3-hydroxy-3-senecioyl-2,2,5,5-tetramethylcyclopentan-1-one, 333
Alcoholic extract, 343
Allolobophora caliginosa, 29
Anacardiaceae, 173
Aniba canelilla Mez, 39
Antibacterial, 299
Antibacterial activity, 29, 245
Antifungal, 299
Antifungal activity, 29, 245
Apiaceae, 241, 245, 305
Apocynaceae, 343
Arillastrum gummiferum (Brongriat & Gris) Pancher ex Baillon, 47
Aroma, 135, 159, 217, 289
Aroma extract dilution analysis, 147
Aromatherapy, 217
Aretefact formation, 59
Artemisia argentea L'Her., 229
A. judaica L., 85
Asteraceae, 77, 229, 233
Authenticity assessment of balm oil, 249
Automated on-line HPLC–HRGC, 99

Baccaurea motleyana (Muell. Arg.) Muell. Arg., 319
Bambangan, 173
Basidiomycetes, 265
Binjai, 173
Biological activity, 125
Bisabolols, 179
Bitter orange oils, 99
Blood–brain barrier, 217
Blumea brevipes (Oliv. & Hiern) Willd., 233
Brassica napus var. *napobrassica* L., 1
B. oleracea var. *botrotys* L., 1
Bryophytes, 237

C_{13}-norisoprenoid glycosides, 281

Calamintha incana (Sm.) Heldr., 85, 139, 205
Camphene, 187
Camphor, 29, 131, 187
Candida albicans, 29
Capillary GC, 159
Caprifoliaceae, 325
Carquejyl acetate, 179
β-Caryophyllene, 315
Cell cultures, 1
Central nervous system, 217
Chavibetol, 339
Chiloscyphus pallidus (Mitt.) Engel & Schuster, 237
Choricarpia leptopetala (F. Muell.), 7
C. subargentea (C.T. White) L.A.S. Johnson, 7
1,8-Cineole, 51, 75, 187
cis/trans Rose oxides, 249, 257
Citral, 93
Citral decomposition, 93
Citronellal, 249, 257
Citronellic acid methyl ester, 249
Citronellol, 249, 257
Citrus aurantium L. (petitgrain), 275
C. aurantium L. var. Cyathifera Y. Tanaka, 289
C. junos Sieb. ex Tanaka, 159
C. limon Burm. f., cv. Lisbon, 159
C. reticulata Blanco, 105
C. sinensis (L.) Osbeck, 105
c. sphaerocarpa Tanaka, 289
C. yuko Hort. ex Tanaka, 289
Citrus fruit, 159
Clausena anisata (Willd.) J.D. Hook ex Benth., 299
Closed-loop stripping, 59
Cold-pressed oil, 159, 289
Compositae, 269
Concrete, 325
Cortex, 217
Crithmum maritimum L., 305
Cryptococcus neoformans, 29
Cymbopogon nardus Rendle, 257
C. winterianus Jowitt, 257
p-Cymene, 347

Daidai, 289
(*E*)-Dec-2-enal, 237

5,9-Dehydronepetalactone, 71
Detoxication mechanism, 261
5,6-Dihydro-4*H*-1,3,5-dithiazines, 81
Dillapiole, 315, 339
2,-6-DMP-β-cyclodextrin, 93
Domin, 7
Duku, 319
Dynamic headspace sampling, 55

Efficacy of fragrances, 217
Electronic pressure control system, 325
Enantiomeric composition, 85, 139, 205
Enantiomeric distribution, 99
Enantiomeric purity, 275
Enantiomeric separation of essential oil compounds, 249, 257
Enantioselective multidimensional gas chromatography (enantio-MDGC), 249, 257
Eremophilenols, 179
Essential oils, 7, 11, 19, 29, 35, 39, 47, 51, 55, 71, 75, 77, 85, 119, 125, 139, 179, 187, 201, 205, 217, 229, 233, 241, 269, 275, 305, 333
Ethyl 3-methylbutanoate, 173
Eucalyptus angulosa Schau., 113
E. annuliformis Grayling & Brooker, 309
E. brachycalyx Blakely, 167
E. burracoppinensis Maiden & Blakely, 309
E. carnabyi Blakely & Steedm. ex Blakely, 309
E. ceratocorys (Blakely) L.A.S. Johnson & K.D. Hill, 113
E. concinna Maiden & Blakely, 167
E. corrugata Luehm., 167
E. dolichorhyncha (Brooker) Brooker & Hopper, 113
E. drummondii Benth., 309
E. erythrandra Blakely & Steedm., 113
E. forrestiana Diels., 113
E. globulus Labill. ssp. *globulus*, 51

E. griffithsii Maiden, 167
E. incrassata Labill., 113
E. kingsmillii (Maiden) Maiden & Blakely, 309
E. lane-poolei Maiden, 309
E. leptopoda Benth., 309
E. macrocarpa Hook. subsp. *elachantha* Brooker & Hopper, 309
E. macrocarpa subsp. *macrocarpa* Hopper, 309
E. melanoxylon Maiden, 167
E. oldfieldii F. Muell., 309
E. oxymitra Blakely, 309
E. pachyphylla F. Muell., 309
E. pimpiniana Maiden, 167
E. pyriformis Turcz., 309
E. rhodantha Blakely & Steedm., 309
E. rugosa R.Br. ex Blakely, 167
E. sessilis (Maiden) Maiden & Blakely, 309
E. stoatei C. A. Gardner, 113
E. synandra M.D. Crisp, 309
E. tetraptera Turcz., 113
E. torquata Luehm., 167
E. youngiana F. Muell., 309
Eudesmols, 179
Eugenol, 339
Euphorbiaceae, 319
Everninic acid, 265
Evernyl, 265
Exacum affine Balf. f. Gentianaceae, 55
Extraction kinetics, 187

Flavour, 159, 265, 289
Flowering, 119
Flowering period, 229
Flowering tops, 75
Flowers, 343
2-Formylmethyl-2-methyl-5-(1-hydroxy-1-methylethyl)-tetrahydrofuran, 93
Fragrance compunds, 217
Fruit volatiles, 173, 319

Garden hyacinth 'Carnegie', 59
GC, 289
GC–FID, 55
GC–FTIR, 201
GC–FTIR–MS, 55
GC–MS, 7, 11, 25, 47, 51, 59, 75, 77, 125, 159, 167, 201, 233, 237, 241, 289, 305, 309, 325, 339, 343, 347
GC–olfactometry, 147
GC–sniffing, 59
GC–sniffing technique, 55
Geijerene, 35
Genuineness of Citronella oils, 257
Geranium, 139
Geranyl acetate, 71
Germacrene-D, 233, 241, 299, 315
Globulol, 201
Glucosinolates, 1
Glycosidically bound volatiles, 261
Guava, 135

Headspace analysis, 59, 325
Herb, 75
Heteromorpha trifoliata (Wendl.) Eckl. & Zeyh., 241, 245
3,3,5,5,8,8-Hexamethyl-7-oxabicyclo [4.3.0]non-1(6)-ene-2,4-dione, 333
Hirschfeldia incana L., 1
Honeysuckle flower, 325
HR–GC, 39
Hyacinthus orientalis L. Liliaceae, 59
Hydrodistillation, 19, 77
7β-Hydroxydihydrodrimenin, 265
(*Z*)-/(*E*)-4-(2-Hydroxy-2-methylpropylidene)-2,2,5,5-tetramethylcyclopentan-1,3-dione, 333

Inhalation, 217
4-Isobutyl-/4-Isobutenyl-5-acetoxy-4-hydroxy-2,2,6,6, tetramethylcyclohexan-1,3-dione, 333
(1*R*,4*R*)-(+)-Isomenthone, 139
(1*S*,4*S*)-(−)-Isomenthone, 139
Isopinocamphone (*cis*-3-pinanone), 229

Jensenone, 7
Jungermanniales, 237

Kabosu, 289

Labiatae, 19, 29
Lamiaceae, 11, 71, 75, 119, 125, 187, 201, 261, 315, 347
Langsat, 319
Lansium domesticum Correa, 319
Lauraceae, 39, 179
Lavandula natural hybrids, 11
Leaf area index, 119
Leaf essential oil, 299, 315
Leaf essentil oil composition, 113, 167, 309
Leaves, 75
Lemon, 159
Leucas deflexa Hook, 315
Lily-of-the-valley-like odour, 55
Limonene, 29, 131, 187
(−)-Limonene, 47
Linalol, 99, 249, 257
(*R*(−)-Linalyl acetate, 275
Liverwort, 237
Lonicera japonica Thunb., 325
Lophocolea pallida Mitt. in Hooker, f., 237
Lophocoleaceae, 237

Mandarin oils, 99, 105
Mangifera caesia Jack, 173
M. panjang Kostermans, 173
Medicament, 217
Meliaceae, 319
Melissa officinalis L., 249
Mentha citrata Ehrh., 275
Mentha longifolia (L.) Huds., 85, 139
Mentha spp., 205
Mentha x piperita L., 19, 85, 119, 125, 139, 261
Menthone metabolism, 261
(1*R*,4*S*)(−)-Menthone, 139
(1*S*,4*R*)(+)-Menthone, 139
Methyl 2-hydroxyalkanoates, 319
Methyl β-orcinate, 265
Methyl chavicol, 75
Methylthymol, 305
Micromeria fruticosa, (L.) *Druce* Lamiaceae, 205
Mineral fertilization rate, 125
Mono- and sesquiterpenoids, 309
Monoterpene enantiomers, 223
Monoterpenes, 11, 119, 269, 333
MS, 81
Multidimensional gas chromatography, 93
Multivariate analysis, 223
Multivariate statistical analysis, 11
γ-Muurolene, 77
Mycobacterium intracellularae, 29
Myrtaceae, 7, 47, 51, 113, 135, 167, 309, 333
Myrtle leaf oil, 333
Myrtus communis L. (myrtle), 275, 333

Needle essential oil, 223
Nepeta tuberosa L. ssp. *tuberosa*, 71
Nepetalactone, 71
NMR, 201

Oakmoss, 265
Occurrence, 281
Ocimum keniense Ayobangira, 75
Ocotea caesia Mez, 39
Oct-1-en-3-ol 249, 315
Octan-3-ol, 249, 315
Odour activity value, 147
Odourant, 147
8,9-Oxidocadalene, 269
3-Oxo-*p*-menth-1-en-7-al, 269

Paederia foetida L., 25
Peanut butter, 81
Peperomia rotundifolia Schlect. & Cham., 131
Peppermint, 19, 261
Perfumery, 265
Pharmacological effects, 217
α-Phellandrene, 173, 229
Phoebe oil, 179
Phoebe porosa Mez./*Oreodaphne porosa* Mez., 179
Physiological effects, 217
Phytotherapy, 217
Pinaceae, 223
α-Pinene, 173, 187, 241
β-Pinene, 187
Piper aduncum L., 339
P. betle L., 339
P. lanatum Roxb., 339
P. pedicellosum Wall., 339
P. penangense C.DC., 339
Piperaceae, 131, 339
(4*R*)(−)-Piperitone, 85
(4*S*)(+)-Piperitone, 85
Plant growth regulator G3, 333
Planting time, 125
Plumeria rubra L. var. *acutifolia*, 343
Poaceae, 257
Polymethoxyflavones, 105
Polyporus sp., 265
Pregeijerene, 35
Psidium guajava L., 135
(1*R*)(+)-Pulegone, 205
(1*S*)(−)-Pulegone, 205

Rambai, 319
Rate constants, 187
Reflectoric effects, 217
Review, 147
Role as flavour precursors, 281
Rosmarinus officinalis L., 29, 187
Rubiaceae, 25
Rutaceae, 35, 299

Sabinene, 241, 299
Safrole, 131
Salvia canariensis L., 201
S. dominica L., 275
S. sclarea L. (clary sage), 275
Santolina neapolitana Jordan et Fourr., 77
Seafennel, 305
Seasonal variation, 347
Sesquiterpenes, 11, 119, 135, 179, 269, 319
Sesquiterpenoids, 39
SFE-CO_2, 39
Solenostemon monostachyus (P.Beauv.) Briq., 315
Solidago graminifolia (L.) Salisb., 269
Solvent extraction, 187
Sour citrus fruits, 289
Steam volatile stem, leaf and flower oils, 25
Stink bug smell, 237
Structure, 281
Sulphur compounds, 25
Supercritical extraction, 19
Supercritical fluid extraction, 135
Sweet orange oils, 99, 105
Synthesis, 81

Terpenes, 7, 47
γ-Terpinene, 305
Terpinen-4-ol, 233, 257
Thyme, 347
Thymol, 347
Thymus vulgaris L., 347
Torquatone, 113, 167, 309
Trichomes, 187

Vacuum headspace, 59
Vegetative phase, 229
Vepris heterophylla R. Let, 35
Verbenone, 29
Vermicidal activity, 29
Volatile components, 131
Volatile leaf oil, 339
Volatile oil, 245
Volatiles, 159, 289
Volatility, 217

Yuko, 289
Yuzu, 159